

# TEK

---

ESD SAFETY PRODUCTS

---

## 2007

Telix Elektronik AB  
Lindstigen 1  
16869 Bromma  
SWEDEN

Tel. +46 8 262099  
Fax. +46 8 269728

[info@telix.se](mailto:info@telix.se)  
[www.telix.se](http://www.telix.se)



**LONG BROOM TEX-Lb-ESD**

Long broom with conductive brush board. Shaft of aluminium. 400 mm or 500 mm wide.

**BROOM SET**

Short brush **TEX-Kb** 900mm high with conductive brush. Handle and brush board are made of conductive plastic and are connected with an aluminium shaft.

Dust pan **TEX-Ks** 900 mm high with conductive handle and pan.



**TABLE BRUSH TEX-50ESD**

For cleaning tables and shelves. Conductive, volume loaded material.

Brush width 160 mm. ESD symbol



**MOP TEX-M**

**TEX-M**, Mop handle of aluminium with connected cloth board with two different cloths and one mop.


**TEX-Dv**, floor cloth for wet cleaning

**TEX-Dt**, floor cloth for dry cleaning

**TEX-MM**, mop for wet cleaning



TEX-MM



TEX-Dv and TEX-Dt



Cloth boards



**SUPERLIGHT MAGNIFYING VISOR, 383ESD**

Changable lenses for different magnification. Made of ESD static dissipative plastic. Lenses treated to be ESD-safe.

383ESD 1,6X	with 1,60X lens
383ESD 2X	with 2,00X lens
383ESD 2,25X	with 2,25X lens
383ESD 2,75X	with 2,75X lens



Vacuum cleaner nozzle brushes ESD – **VAC-D.**

**VAC-Dc** Round nozzle in aluminium or PomC (conductive plastic). Conductive brush 30/70 ø 45 mm, brush length 15 mm

**VAC-De** Radiator brush. Conductive brush 30/70 length 150 mm, width 85 mm, brush length 15 mm

**VAC-Dt** Triangular nozzle in PomC. Conductive brush 30/70 length 90 mm, width 45 mm, brush length 15 mm.

**VAC-Dr** Rectangular nozzle in PomC. Conductive brush 30/70 length 140 mm, width 50 mm, brush length 15 mm.

**PLASIC HAMMER, TEX-H**

With changeable screw-in hammer faces of ESD-plastic. Metal shaft with a soft and ESD-safe grip.



**SOLDER WICK DISPENSER, WICKGUN**

Wickgun™ desoldering braid dispensers combine the capabilities of desoldering braid with the convenience of a hand tool. Simple, one handed operation dispenses, positions and cuts off braid, even the smaller, hard to control sizes. The only other tool you need is your soldering iron.

Cassettes are available in braid sizes 0,8 – 1,5 – 1,9 – 2,7 mm. NoClean or Rosin flux.



Conductive brushes, **TEX**, for maintenance

Our range of conductive brushes TEX allows cleaning of ESD sensitive assemblies without the danger of high charges generated. The handle of the tube brushes is made of aluminium and the bristles made of highly conductive fibres which will dissipate any charges by corona discharge, due to their small diameter. Natural hair is mixed with the conductive fibers to provide the desired stiffness

ArtNo	width	length	brush mix
TEX4 ESD	4mm	100mm	30/70 conductive
TEX6 ESD	6mm	100mm	30/70 conductive
TEX8 ESD	8mm	100mm	30/70 conductive
TEX10 ESD	10mm	100mm	30/70 conductive
TEX30 ESD	30 mm	100mm	30/70 conductive



PROBES, **TEX-S**

Conductive probes with 5 different changeable tips. Ergonomic serrated handle made of conductive plastic.



- TEX-S1 pointed, 45 degr.
- TEX-S2 strong, pointed
- TEX-S5 screwed tip
- TEX-S6 short pointed
- TEX-SM Mirror

Also available in sets  
 TEX-2S-ESD handle and 2 tips in a conductive box  
 TEX-3S-ESD handle and 3 tips in a conductive box  
 TEX-4S-ESD handle and 4 tips in a conductive box  
 TEX-5S-ESD handle and 5 tips in a conductive box

SOLDERING AID, **TEX-P**

Made of a specially formulated, anti-static nylon & fibreglass mixture, it will not scratch pcb's or components during use. The TEX-P Soldering Aid is 150 mm long, with a pointed end for probing, and a flat end for forming and clinching. It also has an integral wire hook.



REFILLABLE FLUX PEN, **BONPEN**

With 6 different tips for flux application. Made of soft ESD safe plastic with tips of fibre.




STRIPPING TOOL, **TEX-V**

TEX-V2 – V10

For stripping cable AWG 36 - AWG 18. The tool has double V-shaped knives that cut around the insulation. Adjustable strip length 50 mm

TEX-V21 – V23

Adjustable stripping tool for stripping of cables AWG 30 - AWG 20. Suitable for PVC, Teflon and similar insulating materials. The tool has double V-shaped knives for cutting around the insulation. Adjustable strip length 50 mm max. Cable area 0.25–0.80 mm<sup>2</sup>



SOLDER TIP CLEANER, **TEX-CS**

Cleans the soldering tip by scraping off oxide or remains from soldering without loss of temperature. Made of metal with cleaning core of brass chips. The brass inset is changeable and can be bought separately.

ANTISTATIC STRIP BRUSH, **TEX-L**

Antistatic strip brush with brush made of thin metal.



ESD MAGNIFIER, **TEX-Q**

Round magnifier with a metal holder. Magnifies 2,5X, 3X, 3,5X or 4X.

