



Telix Elektronik AB  
SWEDEN  
Tel. +46 8 262099

E-mail [info@telix.se](mailto:info@telix.se)

[www.telix.se](http://www.telix.se)



## VACUUM CLEANER NOZZLE

### BRUSHES ESD – VAC-D

**VAC-Dc** Round nozzle in aluminium or PomC (conductive plastic). Conductive brush 30/70 ø 45 mm, brush length 15 mm.

**VAC-Dt** Triangular nozzle in PomC. Conductive brush 30/70 length 90 mm, width 45 mm, brush length 15 mm.

**VAC-Dr** Rectangular nozzle in PomC. Conductive brush 30/70 length 140 mm, width 50 mm, brush length 15mm.

**VAC-De** Radiator brush. Conductive brush 30/70 length 150 mm, width 85 mm, brush length 15 mm.

## CONDUCTIVE BRUSHES ESD, TEX

Our range of conductive brushes TEX allows cleaning of ESD sensitive assemblies without the danger of high charges generated. The handle of the tube brushes is made of aluminium and the bristles made of highly conductive fibres which will dissipate any charges by corona discharge, due to their small diameter. Natural hair is mixed with the conductive fibres to provide the desired stiffness.



ArtNo.	width	length	brush mix/conductive
TEX4 ESD	4 mm	80 mm	30/70
TEX6 ESD	6 mm	130 mm	30/70
TEX8 ESD	8 mm	130 mm	30/70
TEX10 ESD	10 mm	135 mm	30/70



## PLASTIC HAMMER, TEX-H

With interchangeable screw-in hammer faces of ESD-plastic.  
Metal shaft with a soft and ESD-safe grip.  
Length 300 mm.



## SOLDERING AID, TEX-P

Made of a specially formulated, anti-static nylon & fibreglass mixture, it will not scratch pcb's or components during use. The TEX-P Soldering Aid is 150 mm long, with a pointed end probing, and a flat end for forming and clinching. It also has an integral wire hook.





### PROBES, **TEX-S**

Conductive probes with 5 different interchangeable tips. Ergonomic serrated handle made of conductive plastic.

TEX-S1 pointed, 45 degr.    TEX-S6 short pointed  
TEX-S2 strong, pointed    TEX-SM mirror  
TEX-S5 screwed tip

Also available in sets

TEX-S2-ESD handle and 2 tips in a conductive box  
TEX-3S-ESD handle and 3 tips in a conductive box  
TEX-4S-ESD handle and 4 tips in a conductive box  
TEX-5S-ESD handle and 5 tips in a conductive box



### REFILLABLE FLUX PEN, **BONPEN-102**

With 5 different tips for flux application.  
Length 160 mm.



### SOLDER TIP CLEANER, **TEX-VTSTC**

Cleans the soldering tip by scraping off oxide or remains from soldering without loss of temperature. Made by metal with cleaning core of brass chips. The brass inset is interchangeable and can be bought separately.



### STRIPPING TOOL, **TEX-V**

Suitable for stripping of PVC, Teflon for stripping of PVC, Teflon and similar insulating material.

TEX-V2 - V10

For stripping cable AWG 36 – AWG 18.

The tool has double V-shaped knives that cut around the insulation.

TEX-V21 – V23

Adjustable stripping tool for stripping of cables AWG 30 – AWG 20.

The tool has double V-shaped knives for cutting around the insulation.

Adjustable strip length 50 mm max. Cable area 0.25-0.80 mm<sup>2</sup>.





#### ANTISTATIC STRIP BRUSH, **TEX-L**

Antistatic strip brush with brush made of thin aluminium. Can be manufactured at requested width and perforation.



#### ESD MAGNIFIER, **TEX-Q**

Round magnifier with a metall holder.  
Magnifies 2,5X, 3X, 3,5X, 4X, 5X eller 6X.



#### SUPERLIGHT MAGNIFIER VISOR, **383 ESD**

Superlight magnifier free up both your hands.  
With raisable visor.  
Interchangeable lenses for different magnification. Made of ESD static dissipative plastic. Lenses are processed to be ESD-safe.

383 ESD 1,6X	med 1,60X lens
383 ESD 2X	med 2,00X lens
383 ESD 2,25X	med 2,25X lens
383 ESD 2,75X	med 2,75X lens



#### SOLDER WICK DISPENSER, **WICKGUN**

Wickgun™ desoldering braid dispensers combine the capabilities of desoldering braid with the convenience of a hand tool. Simple, one handed operation dispenses, positions and cuts off braid, even the smaller, hard to control sizes. The only other tool you need is your soldering iron.

Cassettes are available in braid sizes 0,9 – 1,5 – 2,2 and 2,7 mm. NoClean or Rosin flux.

